



Certificate of Analysis

Honey For Life
274 King Road, Oldbury WA
6121
Attention: James Clough
Phone: + 61415480054
Email: james.clough@honeyforlife.com.au

Lab Reference: 22-30461
Submitted by: PAM KING
Date Received: 19/08/2022
Testing Initiated: 23/08/2022
Date Completed: 8/09/2022
Order Number:
Reference:

Report Comments

Samples were collected by yourselves (or your agent) and analysed as received at Analytica Laboratories. Samples were in acceptable condition unless otherwise noted on this report.
Specific testing dates are available on request.
The original report (with accreditation, where applicable) can be provided on request.

Results Summary

Microbiology for Honey

Laboratory ID	Sample ID	Total Activity
<i>Units Reporting Limit</i>		% phenol eq. g
22-30461-11	BATCH 349	38.5

Microbiology for Honey Approver:

Evleen Virk, BAppMgmt
Technician

Method Summary

Total Activity

Determination of Total Antimicrobial Activity in Honey: Samples were analysed as received by the laboratory by using University of Waikato agar well diffusion method for the assay of antibacterial activity of honey (Allen K. L., Molan P. C. and Reid G. M. (1991) Journal of Pharmacy and Pharmacology V. 43, P. 817-822)

The method specifically measures total antibacterial activity of honey against Staphylococcus aureus ATCC 9144 and expressed as the equivalent % of phenol. Calibration is carried out using phenol standards.

The calculations are based on assumed density of 1.35 g/mL for this sample of honey. This value represents an average density of honey obtained from multiple experiments.

Testing was subcontracted out to CAIQTEST (Pacific) Ltd.